BookGist Summary

In Their Shoes: A Journey of Understanding and Supporting Depression

by Pamela J Wells

Key Takeaways

• Depression is not a character flaw or something a person can simply switch off; it can overwhelm energy, hope, concentration, relationships, and everyday tasks—even when someone's life looks fine from the outside.

• Depression varies widely. The contributors describe different causes, symptoms, and paths through it, so support should be guided by the individual rather than assumptions about what "works."

• Well-intentioned advice such as "snap out of it," "just get outside," or "you have a good life" can intensify shame and isolation. Listening, taking the person seriously, and asking what would help are more supportive responses.

• People may need both space and connection: they might withdraw or decline invitations while still wanting to know they are remembered, welcome, and cared for.

• Small, consistent gestures—checking in, offering a hug, bringing food, sending a note, or keeping a promise—can communicate care without demanding that someone explain or immediately feel better.

• Caregivers can offer compassion without taking sole responsibility for recovery. They should learn about depression, seek their own support, maintain boundaries, and take suicidal statements seriously.

• Professional help can be important, but finding a therapist who feels like a good fit may take more than one try. The author's story is personal testimony, not a treatment plan or substitute for qualified care.

• Depression and suicidal thoughts should not be hidden behind stigma or dismissed as attention-seeking. The book encourages open, compassionate conversation and directs people in crisis to immediate support.

• The author includes faith and prayer as meaningful parts of her own recovery, while the collection also shows varied experiences; spiritual support should not replace appropriate professional help.

Who Should Read This Book

In Their Shoes is especially useful for family members, partners, friends, and caregivers who want to support someone with depression but feel unsure what to say or do. People living with depression may also find recognition in the varied first-person accounts, particularly in the descriptions of withdrawal, anxiety, shame, suicidal thoughts, and the complicated wish for both solitude and connection. Faith communities and other social networks may benefit from its reminders that depression is not evidence of weak character or inadequate faith. The book is a personal, testimony-based guide rather than a clinical manual: its strength is the range of lived experiences and concrete examples of compassionate support, not diagnostic or treatment instruction. Readers looking for evidence-based clinical explanations may want to pair it with professional resources or guidance from a qualified mental health provider. Unlike more structured self-help books, it centers the voices of people with depression and the everyday actions that can help them feel remembered, respected, and less alone.

Chapter Summaries

Chapter One: My Story

Pamela Wells recounts a childhood marked by emotional neglect, strict expectations, and sexual abuse by her father, experiences she says she could not speak about at the time. She describes learning to wear a "mask" of appearing fine, while depression remained in the background. As an adult, she married Layne and raised two children; a crisis in his health and the stress of caring for him preceded a severe decline in her own mental health. Wells describes trying several therapists before finding one she trusted, receiving hospital and specialist care, and eventually experiencing a serious suicide crisis and attempt. She credits a prayer gathering with a profound change in her sense of peace, but stresses that this was her experience and should not be treated as a universal route to recovery. Her account also

emphasizes that people may need to change therapists if the relationship is not working and that medication decisions require care; her personal decision to taper medication is explicitly not presented as advice.

Chapter Two: The Questions

Wells explains that the book combines her own answers with responses from people she met through treatment, friendships, and online communities. Contributors range in age and background, and their names have been changed to protect privacy. Some wanted to remain especially anonymous, illustrating how stigma can make people reluctant to discuss depression publicly. The questions establish the book's practical, experience-led structure: what depression feels like; which words help or hurt; how others should behave; which social settings are difficult or supportive; whether suicidal thoughts occur; what signs others might notice; and what caregivers can do. Wells invites readers to approach the answers without judgment, recognizing that common patterns can coexist with deeply individual experiences.

Chapter Three: What Does Depression Feel Like?

Wells and the interviewees portray depression through images of suffocation, paralysis, darkness, exhaustion, isolation, and emotional numbness. Wells compares it to an old coat that is miserable yet familiar, and to being trapped at the bottom of a pit: encouragement or a ladder may be offered, but the person can feel too depleted to use either. Other contributors describe withdrawing, sleeping excessively, crying, losing interest, eating mindlessly, or struggling to imagine a reason to live. The responses challenge the assumption that external circumstances determine whether someone can be depressed. One contributor explains that a person may act cheerfully while privately believing painful, negative thoughts, partly to avoid ridicule or disbelief. The chapter's central lesson is to listen to how people describe their own experience rather than expecting depression to look one particular way.

Chapter Four: What Makes Depression Worse?

This chapter gathers examples of comments that can deepen distress, even when offered with good intentions. Contributors object to being told to cheer up, get out of bed, take a vacation, go shopping, or simply have a better attitude. Statements such as "What could you possibly be depressed about?" can imply that suffering is illegitimate unless others can identify a sufficient cause. Dismissive labels, sarcasm, comparisons, and unsolicited advice can leave people feeling ashamed, angry, or misunderstood. Wells notes that even religious encouragement can backfire when it makes a depressed Christian feel spiritually inadequate. The practical takeaway is to avoid treating depression as a simple choice or mood that can be corrected by a slogan; curiosity and empathy are safer starting points.

Chapter Five: What Makes Depression Better?

The contributors' answers vary, but many emphasize care more than clever wording. Wells says that hugs and simple expressions of love mattered to her. Others value reminders that they are needed, sincere concern, an offer to listen, or a gentle invitation to do something together. One respondent finds that a surprised but genuinely caring response can open a conversation, while another appreciates being offered help even if she cannot accept it at that moment. The chapter also recognizes that words cannot always make someone feel better immediately. Some people find comfort in faith, treatment, or knowing that a friend is available; others say nothing can lift the deepest part of a depressive episode. Supporters can still communicate presence without promising to fix the illness: ask what the person wants, offer practical help, and accept that a "no" may not be a rejection of the relationship.

Chapter Six: What Should Other People Do?

Asked how they want to be treated, contributors describe a need for respect, dignity, compassion, and reliable signs that others care. Some want quiet and room to recover; others say that seeming to push people away can coexist with a strong wish for someone to keep reaching out. The chapter therefore resists a single rule for whether to give space or make contact: supporters should pay attention, ask, and remain gently available. Several contributors want their depression recognized as a real illness rather than a personal failing. They ask loved ones not to interpret withdrawal or irritability as proof that they do not care, and to stay patient while recovery takes time. Wells's own answer captures the tension: she wanted to be left alone, yet a small email, call, or hug could reassure her that she was not forgotten.

Chapter Seven: What Should Other People Not Do?

The interviewees reject being pitied, teased, talked down to, treated as incapable, or told that depression is imaginary. They also object to others judging their medication or assuming they should be able to control their mood through willpower. Such reactions can make people less willing to disclose what they are experiencing and reinforce the isolation that already accompanies depression. One contributor warns that dismissing someone as merely seeking attention can be dangerous: even if a person is asking for attention, that need deserves curiosity rather than contempt. Others want loved ones to avoid acting as if they are fragile or incapable of ordinary conversation. The guidance is to treat the person with respect, avoid minimizing their condition, and not confuse support with taking control.

Chapter Eight: What Social Situations Are Difficult?

Social contact can be both desirable and overwhelming. Contributors describe anxiety in crowds, difficulty going to work or grocery shopping, fear of being questioned, and the effort of maintaining a cheerful appearance. Wells explains that she limited outings and sometimes timed church visits to avoid interaction; another contributor describes feeling trapped by anxiety in a store and needing to leave. The accounts show why blanket advice to "get out

more” may fail. Some people find family gatherings, parties, or contact with people whose lives seem happier especially painful, while others feel lonely even in a crowd. Time alone can help someone recover after a manageable outing, but extended isolation may deepen a downward spiral. Supporters can offer low-pressure options and let the person decide what they can manage.

Chapter Nine: What Social Situations Are Helpful?

The contributors describe invitations that are flexible, personal, and suited to their energy. Wells wanted to be invited even when she might decline, with reassurance that attendance was optional; being left out on the assumption that she would not come made her feel rejected. Others prefer brief visits, one-on-one time, a walk, a movie, a meal, or relaxed time with close family rather than a long, crowded event. The chapter distinguishes an invitation from an obligation. A person may want to feel included but fear the guilt or stress of cancelling if symptoms worsen. Clear, low-pressure offers—such as “Would you like company? It’s okay if not”—make connection easier while preserving choice. Laughter, familiar people, and short activities can help some contributors, but there is no single social prescription.

Chapter Ten: What Are Suicidal Thoughts Like?

Wells asks contributors to speak openly about suicide, while noting that not everyone with depression is suicidal and that wanting death can mean different things. Some respondents describe wanting the pain to stop, others report thoughts or plans, and one explicitly says she has no suicidal thoughts despite wanting to hide from the world. The accounts make clear that suicidal distress should not be reduced to one script or inferred from appearances alone. The contributors describe the conflict between emotional pain and knowledge that loved ones care, as well as fears of burdening or harming family members. One person compares the experience to knowing rationally that a hand cannot pass through a wall while still feeling unable to change the emotion that presses against it. The chapter’s practical implication is to take disclosures seriously, ask with compassion, and seek appropriate urgent help rather than assuming the person is exaggerating or merely seeking attention.

Chapter Eleven: What Signals Are You Sending?

Contributors identify possible changes others might notice: sleeping more, withdrawing, becoming unusually quiet, giving short answers, turning down invitations, crying more, or stopping activities they normally enjoy. Wells also recalls giving away possessions that mattered to her. These signs are not identical for everyone, and some people actively hide distress or offer only indirect hints. The chapter asks family and friends to notice changes without assuming that they can diagnose the person from behavior alone. Gentle, specific check-ins may help someone feel seen and create an opening to talk. Because depression can be concealed behind a familiar public persona, the absence of obvious signs should not be treated as proof that everything is fine.

Chapter Twelve: What Advice Would You Give a Caregiver?

Caregivers are encouraged to be dependable friends: listen, offer affection, suggest a distraction without insisting, and remind the person that they matter. Contributors emphasize unconditional love and patience, while also warning helpers not to act as heroes or deliver lectures. Sam recommends asking what the person wants and treating “I don’t know” as a reason to check in again later, not as a permanent refusal of help. The chapter also recognizes the caregiver’s limits. Emily advises loved ones to take care of themselves and make room for respite, while Deb stresses that no one can save everyone and that each person’s depression is different. Contributors share experiences involving grief, abuse, relationship strain, medication, faith, nature, and recovery programs, reinforcing the value of understanding the person’s context rather than applying a formula.

Chapter Thirteen: Additional Feedback

This section widens the collection with stories from people who did not answer the questionnaire directly. Their accounts describe shame and secrecy, the lasting effects of controlling or abusive relationships, the difficulty of recognizing depression behind an outwardly energetic personality, and the ways family members can also be affected. Several people describe feeling rejected when others withdrew or expected them to perform as they had before becoming ill. The contributors also offer varied reflections on coping: some mention regular sleep, nutrition, exercise, nature, faith, professional care, support groups, or addressing the roots of distress. These are personal observations rather than a universal treatment program. Stories involving self-harm, substance use, attempts, and suicide underline the seriousness of the illness and the importance of seeking help rather than facing severe distress alone.

Chapter Fourteen: My Thoughts

Wells reflects on how depression can steadily erode hope until a person can no longer imagine an end to the pain. She stresses that depression takes different forms: it may be connected to circumstances, medication needs, seasons, or other factors. An analogy of being trapped inside a lasting bubble of sadness helps convey the sense of isolation and despair that can persist even when the person understands their life looks acceptable from the outside. Her advice to supporters is practical and relational: be present, show affection, give space without abandoning the person, and follow through on promises. She cautions against teasing, exclusion, minimizing language, and religious clichés that can add guilt. She also warns that anxiety may make ordinary outings exceptionally difficult, and that alcohol can worsen depression or interact badly with medication. These reflections are grounded in her experience, not offered as clinical guidance.

Chapter Fifteen: What Can I Do to Help?

Wells turns the preceding stories into a caregiver checklist: learn about depression, try to understand the person's experience, be patient, offer a listening ear, and seek support for yourself as well. She reminds readers that depression is an illness, not laziness or a character defect, and that withdrawal, anger, low energy, and reduced sexual interest may be symptoms rather than deliberate rejection. When someone takes medication, supporters can help with practical routines while respecting professional guidance. The chapter emphasizes that hopelessness and suicidal talk must be taken seriously; dismissing them as attention-seeking can leave someone without help when they need it. Wells encourages supporters to remind the person they matter and to love them while keeping healthy boundaries. The book also provides crisis guidance: call emergency services for immediate danger, and in Canada or the United States call or text 988 for suicide crisis support.

Chapter Sixteen: Some Examples of How to Help

Wells illustrates support through a story about a friend who visits a distressed woman with soup, using the food as a reason to get through the door and offer company. The point is not that a caregiver must find the perfect words or solve the situation; the friend's continued presence communicates that the woman is not alone. Wells relates this to her husband's steadfast support and to friends who continued to pray for her while respecting her need for space. Two further stories show how modest gestures can matter: a funny postcard arrived when a friend was in crisis, and repeated deliveries of apples reassured Wells's family that others cared during her father's illness. The chapter's practical message is to make contact in thoughtful, manageable ways and to keep showing up. Small acts cannot guarantee recovery, but they can interrupt isolation and communicate remembrance.

Chapter Seventeen: How to Help Yourself

For readers experiencing less severe depression, Wells offers a list of everyday ideas: focus on one day at a time, seek laughter, revisit a hobby, join a group, move your body, rest, spend time with people who care, volunteer if it feels manageable, and keep a journal that records positive moments. She also cautions that possessions do not provide lasting happiness. These suggestions are presented as possible supports, not as a replacement for professional treatment. The chapter's emphasis is on small, achievable steps rather than attempting to change everything at once. Readers are invited to choose activities that fit their circumstances and energy, while remembering that depression can make even ordinary tasks feel difficult. The book's broader message remains relevant here: individual experiences differ, and anyone whose symptoms are severe or who is at risk should seek qualified help.

Notable Quotes

> *"“Everyone's experience of depression is unique, and yet there are common threads in the responses to some of my questions.”"*

""“Depression does not require one to be living in the slums of some run-down, fourth-world country, starving, and destitute; one can easily be depressed when the world is treating them well.”""

""“You can’t always help, you can’t always make them feel better, but if someone who is depressed knows you are willing to try, that you want to help, and that you are not simply pretending to care, that you are not simply patronizing them . . . it can make a world of difference.”""

""“We think we want to be left alone, when we don’t. We really want someone to try, to care, to want to make a difference in us.”""

""“Be there—you don’t have to say anything—just let the person know you are there and you care.”""

""“Don’t give up on that person—it’s so easy for them to give up on themselves—they need you!”""

""“Something is better than nothing!”""

""“You are frustrated with the illness, not the person.”""

Full Summary

Pamela Wells begins with the story behind the questions she would later ask others. Raised in a Christian home, she learned early to hide her sadness behind a mask of being fine. Her strict parents left her feeling unable to speak about problems or question authority, and when she was five, her father began sexually abusing her. Her mother provided for the children but showed little affection; Wells believes she did not know about the abuse. For years, Wells kept her pain suppressed, and depression surfaced only occasionally.

After marrying Layne in 1980, she had two children and built a life with him. But in 2007, when routine tests led to his quintuple bypass surgery and a frightening series of complications, Wells was terrified of losing him. She held herself together while he was ill, then found herself weakening as he recovered. From the outside, there seemed to be every reason for her to feel happy: Layne was getting better and returning to work. Yet she could not explain why she felt so sad. Earlier, she had heard him dismiss a news story about postpartum depression with the advice to “talk yourself out of it,” and worried he would not understand her own struggle. A pastor recognized that she was in trouble, encouraged her to see a counsellor, and urged her to tell Layne. Her husband listened and supported her.

Finding a therapist who could help took more than one try. The first ended treatment after two sessions; the second kept returning to a subject Wells felt she had already dealt with. A third

therapist proved a better fit and worked with her over several years, helping her uncover painful childhood memories. Understanding more about her past did not, by itself, lift the depression. Suicidal thoughts, present since she was nine, became more focused, and she eventually told her pastor. With her permission, he spoke with her therapist, and Wells was hospitalized. She spent weeks in hospital, later attended Homewood Health Centre in Guelph, and received therapy and medication. Even with substantial care, she attempted suicide in May 2011, after a difficult Easter weekend left her feeling that hope had vanished. She survived, but still wanted to die. In June, she took part in a time of focused prayer and came away with a sense of peace she had not felt in a long time. Wells believes her faith played a role in her recovery, but stresses that her experience was her own, not a route everyone should follow. She also cautions against treating her personal account as medical guidance. Finding professional support that feels right may require trying another therapist.

To broaden the picture beyond her own life, Wells gathered responses from people aged seventeen to sixty-seven, including people she met in hospital and friends who volunteered. She changed their names to protect their privacy, noting that stigma made some participants reluctant to be identified. She asked how depression feels, what worsens or eases it, and how people want others to treat them. Her aim is not a clinical explanation but a collection of lived experiences: depression has common threads, yet no single story represents everyone.

For Wells, depression is like an ugly, familiar coat: uncomfortable and unwanted, but so worn that it can feel strangely safe and difficult to remove. It is also like a deep pit. She can see light above but lacks the strength to climb toward it, even when someone offers encouragement or a ladder. Katherine describes suffocation, paralysis, and a dark hole; Grace reports exhaustion, isolation, intense emotion, and feeling unable to move. Others speak of life becoming overwhelming, of withdrawing from friends and family, sleeping, crying, or losing the energy to cook and clean. Some experience suicidal thoughts; others do not. Sam explains that a person may still speak and act positively while privately believing the worst, partly from fear that honesty will invite mockery or disbelief. A person need not be visibly deprived or facing an obvious crisis to be depressed; life can look good to outsiders while feeling unbearable within.

The answers about what makes depression worse reveal how easily attempted encouragement can deepen shame. Wells felt like a failure when people quoted scripture at her or told her she had a good life. Katherine was hurt by being called a “psycho”; Barbara resented sarcastic commands to get out of bed and find a life. Others recoiled from “get up and get going,” “just get outside,” “stop crying,” “snap out of it,” or comparisons with what helps the speaker when they feel blue. Such comments imply that depression is a choice, or that a person’s circumstances should make the illness impossible. They can leave someone feeling unseen, blamed, and even less willing to ask for help.

What helps varies just as much. Wells valued hugs and simple expressions of love or prayer, rather than an attempt to find perfect words. Katherine wanted to hear that she was loved and needed. Barbara drew comfort from reminders of God's presence, while Grace said she had been alone. For Sam, a concerned question such as "How can I help?" could open the conversation, especially if it showed genuine willingness rather than pity. Emily appreciated being told that someone would listen or help her reach a professional; medication prescribed by her doctor also helped her. Deb valued knowing someone was there, even when she could not take in encouragement. Liz acknowledged that, in the depths of depression, nobody could say something that would immediately make her feel better. Care may matter even when it cannot make the pain disappear.

Asked how they wanted to be treated, Wells describes a tension many respondents share: she wanted to be left alone, yet longed for a sign that her friends remembered her. An email, call, or hug would have mattered. Some wanted respect, dignity, and compassion; others needed time and space. Sam observes that a person may say they want solitude while secretly hoping someone will keep trying, because they need reassurance that they matter. Emily insists that depression is a genuine problem, not a character defect or a failure to pull oneself together. Deb wants room to withdraw without having others take it as rejection, while still receiving love and support. Their answers point toward care that is steady but not presumptuous: stay present, respect the individual, and let them know they remain welcome.

What people with depression do not need is to be mocked, pitied, talked down to, or treated as though they are incapable. Pamela disliked teasing intended to cheer her up, pitying looks, and unsolicited advice. Katherine did not want to be treated as handicapped; depression had not taken away her intelligence or her right to be treated like an ordinary person. Barbara objected to being told she should stop taking Zoloft, as if relying on medication made her a drug addict, or that depression was "all in her head." She had learned that her prescription helped steady her emotions, and the illness was not something she invented.

Grace wanted privacy, not pity or probing into her personal history. Sam warned that dismissing a person as merely seeking attention could be dangerous: nobody else can know exactly what is happening inside someone's mind, and even a bid for attention may reveal a deep need. Emily did not want to be ignored or told to snap out of it. Deb did not want people to treat her as fragile, lecture her, or assume they knew better. Liz feared being avoided as though depression were contagious, and rejected the suggestion that she was simply imagining her symptoms. Across their different answers, the contributors describe how judgment, disbelief, and condescension can add shame to an already painful illness.

Social situations can be difficult in sharply different ways. Pamela would arrive at church late and leave early to limit interaction, while shopping and other outings became hard to tolerate for more than about two hours. Katherine sometimes felt unable to leave home for work, or

had to abandon her grocery cart and go home when anxiety in the store felt like a heart attack. For Barbara, by contrast, spending time with good friends and working full-time could lift her mood and restore self-worth and confidence. Grace struggled with crowds and with family gatherings, where an hour was often all she could manage; even coffee with friends could sometimes feel like too much.

Sam described the contradiction of wanting connection and dreading it. In a large gathering, he hoped to find someone with whom he mattered, yet expected to hide behind jokes, technical help, or familiar entertainment. He feared not people themselves so much as the emotional strain of performing around them while still feeling alone. After a rare, successful outing, solitude could help him absorb the good experience; too much isolation, however, fed a downward spiral. Emily found it painful to be around people whose lives seemed to include what she lacked, such as a happy marriage or family. Deb found large parties especially difficult when she knew few people, and Liz often avoided social events because she dreaded questions and advice about what she should do.

A helpful invitation does not have to mean pressure to attend. Pamela wanted to be included, even when she might decline, and appreciated being told she was welcome but free to stay home. Katherine found commitments stressful: if anxiety kept her from going to an event—or to work—guilt could make everything worse. Barbara sometimes wished someone would come and distract her, though often she had to seek company herself. Grace enjoyed people who made her laugh and visits with her children and grandchildren. Sam did better with brief events than with hours-long gatherings, which gave him less time to lose hope that he would connect with someone.

Others preferred low-key time together: Emily suggested a movie, dinner, or a walk with few people around, while Deb liked one-on-one visits, coffee, a movie, shopping, or dinner, with the occasional more adventurous outing. Liz treasured invitations from her adult children: her son asking her to visit or stay for a weekend, and her daughter offering lunch or breakfast, or coming over to cook dinner. These examples show why one fixed prescription—always get out, or leave the person alone—cannot fit everyone. The form, length, and pressure of an invitation can matter as much as the invitation itself.

The question about suicidal thoughts brought out experiences that were not interchangeable. Pamela sometimes wanted the pain to end and often fantasized about suicide. Katherine remembered wanting to die from her early teens, though at other times she wanted only the pain to stop; she knew friends who had died by suicide and still struggled to understand why some people survived and others did not. Barbara described thoughts driven at different times by unbearable pain or a wish to get even with someone who had hurt her. Her faith and awareness of the people who loved her helped her resist, and she believed medication kept her more level.

Grace had attempted suicide during a frightening crisis in her marriage, jumping from a second-storey window and suffering lasting spinal damage. Sam had wanted to die and had attempted to cut his wrists, while also fearing death and worrying about how an attempt would affect his family and the little hope he had left. He compared the emotional struggle to pressing a hand against a brick wall: logic could tell him he mattered, but his feelings would not yield. Emily had written notes and imagined being free of emotional pain, though she did not think she would seriously try. Deb had experienced thoughts of suicide during some periods, without taking them further. Liz did not have suicidal thoughts, but often imagined hiding alone in a dark closet. The variety matters: depression does not automatically mean suicidality, and distress does not always take the same form.

When asked what signs they wished others would notice, Pamela recalled sleeping more and giving away possessions that were special to her. Katherine hoped close friends might notice when she was sad and help distract her. Barbara named sleep and withdrawal; Liz mentioned quietness, short answers, avoidance, and sleeping all the time. Deb might become unusually quiet or emotional and turn down invitations she would normally accept. Emily wished people would notice when she stopped doing activities she usually loved.

Yet signs are not always easy to read. Grace had asked her mother to take care of her young children because she needed help, but her family was in denial and afraid to face what was happening. Sam often worked hard to hide his distress, letting only occasional hints escape, with no consistent pattern for others to recognize. Even outwardly capable or cheerful people may be struggling privately, and someone who says they are fine may be unable—or unwilling—to explain what is wrong.

For caregivers, the contributors offered no single formula, but returned often to the value of steady friendship: show affection, offer company or distraction without insisting, and make clear that you care. Katherine suggested hugs, lunch, shopping, or time with the children, while also believing that a healthy lifestyle and positive relationships mattered alongside medication. Her view was personal, not a universal rule. Grace urged unconditional love through setbacks and mistakes, and described how treatment at Homewood helped her begin to feel safe and learn to communicate after a lifetime shaped by childhood abuse. Nature, she said, could be therapeutic for her; she might sit watching birds or water for hours.

The stakes of responding to distress can be frightening. Katherine recalled a neighbour who told her he intended to die by suicide. He later hanged himself while his young children were home. She carried guilt, wondering whether she should have called the police or an ambulance, but the story also shows how overwhelmed and uncertain a friend can feel. Barbara’s advice is to offer care without claiming the power to control another person’s recovery. Emily similarly urged caregivers not to take withdrawal personally, to keep expressing love, and to make room for their own respite. Deb recommended learning the

signs and listening, while accepting that no one can save everyone. Her point is not to withdraw, but to support without making oneself solely responsible for an outcome.

Sam's guidance was to resist playing hero or delivering a speech full of psychology, doctrine, or solutions. Listen, ask what the person wants and what they think might help, and accept "I don't know" without treating it as the end of the conversation. Ask again later. Liz urged loved ones to learn about depression, accompany someone to a doctor if invited, and be honest when they do not understand but want to. Mary, whose adult son Ted had struggled for years and attempted suicide, described how depression affected the whole family; she wanted to understand his signals and respond with support rather than fear or helplessness. These accounts underscore that caregivers need information and support of their own, too.

Other contributors widened the picture. Amy remembered shame and silence around her depression, even after treatment, and believed that speaking more openly would reveal how many people were struggling. George and his wife emphasized sleep, managing stress, nutrition, exercise, and enjoyable activities as parts of their own efforts, while noting that individual needs differ. Neil described trying to cope alone, pushing away his girlfriend, then turning to self-harm, drugs, alcohol, and repeated suicide attempts. Betty, who could seem bubbly, said she felt empty inside and wanted understanding without demands. Delores recalled that a friend who came over, cried with her, and prayed beside her helped more than instructions to "get out more" or simply surrender her sadness to faith. Patrick stressed that depression may arise from very different circumstances, and that friends and family should learn about it without pressuring the person.

Wells reflects that depression can quietly erode hope until a person can no longer imagine an end to the suffering. She describes different forms and causes: distress after a partner's affair, seasonal depression, experiences associated with genetics, or a need for medication to regulate emotions. She recalls an analogy of depression as a bubble of sadness and despair that never dissipates, leaving a person isolated and trapped. No one pattern or remedy fits everyone. Her own belief in a spiritual dimension comes from her personal experience, but she does not present it as an explanation for every person's illness.

Her practical counsel begins with learning about depression and taking it seriously as an illness, rather than a failure of character. A task that seems simple to an outsider may feel impossible to someone who is ill. Loved ones can be patient, kind, and willing to listen; remember that irritability or withdrawal does not define the person underneath; and avoid interpreting a reduced sex drive as personal rejection. If medication is involved, they may help the person keep track of it, without taking the place of medical advice. Above all, reach out in whatever way the person can accept, remind them that they matter, and love them without making them feel blamed. If someone speaks of suicide, take it seriously and seek immediate help; do not dismiss it as attention-seeking. Wells warns caregivers not to let compassion

become self-erasure: set limits and seek support, while continuing to care.

She illustrates that care through small, tangible acts. In a television story, a friend brought soup to a frightened young woman who had shut herself away after an assault. The soup was bad, but the visit opened the door to company and conversation. The friend returned with more, promising not to stop. Wells connects this to her husband, who stayed close when she pushed others away, and to friends who gave her space without abandoning her. A postcard she mailed to a distant friend arrived on the day that friend was preparing to take her life; its goofy picture made her laugh and interrupted the moment. Wells cannot know what would otherwise have happened, but the gesture mattered. When her father was dying, family friends repeatedly brought apples from their orchard. Their note acknowledged that the family might not need more apples, but wanted them to know they cared. The gift was less important than the persistence behind it: do something, because something is better than nothing.

For someone experiencing depression, Wells offers modest ways of moving through a day: take life one day at a time, seek laughter, consider a hobby or group, move in whatever manageable way is possible, and make room for rest. Spend time with people who love you, keep a journal, and notice good things as well as painful ones. She also suggests volunteering when it is manageable, though her own reflections stress that severe depression and anxiety can make leaving home feel overwhelming. These ideas are possibilities, not demands or a cure. Wells is not a clinician, and her story is not a treatment plan. Professional care can matter, and if a therapist does not feel like the right fit, seeking another is acceptable. Support, whether it comes through treatment, friendship, faith, or a small reminder that someone has not been forgotten, should meet the person where they are.

Generated by BookGist.ai • November 2026

www.bookgist.ai